TOPKNIT®

ACCREDITED BY THE DUTCH COUNCIL FOR CERTIFICATION Reg. NO 24

ISO - 9001 CERTIFICATED FIRM

DET NORSKE VERITAS INDUSTRY B.V., THE NETHERLANDS

KCMJ-II

Computerized Rib-Mesh Electronic Jacquard Machine



KEUMYONG

www.keumyong.com

KEUMYONG

www.keumyong.com


KEUM YONG´S KCMJ-II

Model is up to date and universal in every respect and which will produce many kinds of fabric, up to and including electronic Jacquard transfer patterns. Mesh Jacquard patterns in the basic rib fabric create attractive, high quality knitted fabrics.


STANDARD SPECIFICATION

DIAMETER	GAUGE(N.P.I)	FEEDS	SPEED(R.P.M)	NO.OF BOBBIN
13″	12-18	10F	42	20
14″	12-18	12F	40	24
15″	12-18	12F	38	24
16″	12-18	14F	35	28
17″	12-18	14F	32	28
18″	12-18	16F	30	32
• 30″	12-18	30F	20	60
33″	12-18	32F	18	64


* One knitting consists of two knitting feeders and one transfer feeder.
* Pattern area : 1024(W) × 512(C)
* Actuator : 8 Steps Ceramic Syetem



MODEL : KCMJ- II



TOPKNIT®




MODEL : KCMJ- II / 30″

COMPUTEP, MACHINE SIZE	A	B	C	D	E	F
26-29″	1325	2091	2525	2540	1409	2200
• 30″-33″	1325	2091	2525	2540	1505	2296
34-37″	1325	2091	2525	2540	1619	2410
38-41″	1325	2091	2525	2540	1709	2500

KY-2000.3
Specifications are subject to change without notice.

L
D.
orea
Korea
ng.com



KEUMYONG

www.keumyong.com

Head office & Mfg : 666-1, 3-Ga, Nowon-Dong, Buk-Gu, Daegu, Korea
Telephone : (053) 351-3081~7
Fax : (053) 352-8085
Seoul Office : 81-3 Song jung-Dong, Sung Dong-Gu, Seoul, Korea
(KEUMYONG BLDG. 4TH FLOOR)
Telephone : 82-2-3409-4700 / 4231~3
Fax : 82-2-3409-4040

Homepage http://www.keumyong.com E-mail kymc@keumyong.com