TOPKNIT®

ACCREDITED BY THE DUTCH COUNCIL FOR CERTIFICATION Reg. NO 24

ISO - 9001 CERTIFICATED FIRM

DET NORSKE VERITAS INDUSTRY B.V., THE NETHERLANDS

KSST-48
KDST-48

Single & Double Jersey Auto-Striper Knitting Machine



KEUMYONG

www.keumyong.com

KEUMYONG
www.keumyong.com

KEUM YONG´S KSST-48 & KDST-48

Model have been designed for making striper jacquard fabric with 4 colors by using unigue striper system. And this striper system has been constructed simple mechanical structure for easy using and management. The striper patterns can be designed by using the computer pattern program.

STANDARD SPECIFICATION

DIAMETER	GAUGE	FEEDS	SPEED(R.P.M)
30″	16-24	48	20-25
• 34″	16-24	54	18-20

* Cylinder diameters, needles per inch, number of feeds are as described above, so please order the machine according to requirements.
* Cylinder cams for machines with 2 to 4 cam tracks are 3position select available by changing cams. For single jersey machines when machine is ordered with 4 cam tracks in the cylinder, 4 knit cams,
  1 tuck and 1 welt cams are supplied with the machine as standard per feed. Others are optional.
* AC Motor with Inverter control unit.
* Plating fabrics can be knitted by provided yarn carrier and yarn carrier plates are purchased.
* Positive yarn feeding device.(ITF)
* Side creel stand with double tie.
* Venti-Cleaner.
* Spreader size ring system.
* Speed of machine depending upon yarn used, knitting condition, gauge etc. the machine speed can be either increased or decreased. So please select the optimum speed for the machine according to the machine condition. The speed figures given this table are given only as a guide.



MODEL : KSST-48

FABRIC POTENTIAL

Fine quality at high production rates with 4 color striper single and double jersey high speed machines in the highest quality fabric such as lacoste, crepe, plating mini-jacquard fabrics.

TOPKNIT®

PATTERN CONTROL





MODEL : KSST-48 / 30″

PACKING DIMENSIONS

KSST-48	30″ DIAMETER
Approx. Net weight	3,200Kg
Approx. Gross weight	3,500Kg
Case size(mm)	Length Width Height 2460×2270×2250

KY-2000.10
Specifications are subject to change without notice.





KEUMYONG

www.keumyong.com

Head office & Mfg : 666-1, 3-Ga, Nowon-Dong, Buk-Gu, Daegu, Korea
Telephone : (053) 351-3081~7
Fax : (053) 352-8085
Seoul Office : 81-3 Song jung-Dong, Sung Dong-Gu, Seoul, Korea
(KEUMYONG BLDG. 4TH FLOOR)
Telephone : 82-2-3409-4700 / 4231~3
Fax : 82-2-3409-4040

Homepage http://www.keumyong.com E-mail kymc@keumyong.com