ISO 9001

ISO 9001

EM Mark
정부품질인증
Official Quality Certificate

CE Mark
유럽품질인증
Certificate of Europe

일천만불
수출의탑 수상
U$10,000,000
EXPORT TOWER

세계일류상품
생산기업 선정
WORLD CLASS
PRODUCT







Beyond the imagination!

DE-STONER

진공식 종합석발기



DE-STONER 진공식 종합석발기(원료벼, 현미, 백미)



● DVS-8000



● DVS-6000



● DTC-5000

Balanced de-stoning It is very efficient because material is balancly buoyant on the de-stoning plate

Special coating of sorting plate Efficient sorting & longer term cleaning is possible by prevention of sticking to plate of imputity by coating of sorting plate

2-steps de-stoning 1st step-sorting by wind the pre-paddy and impurities of light weight 2nd stop-

균형잡힌 석발 원료를 석발면에 부양시키는 방식으로 석발판 모든 면에 균등하게 부양력이 작용하므로 석발효율이 높습니다.

석발판 특수코팅 현미, 백미용 설발판은 표면을 특수코팅 처리하여 이물질이 석발판위에 눌러붙는 현상을 최대한 방지하여 석발율을 향상시키고 청소주기를 늘입니다.

2중 석발판 사용 비중이 작은 미숙립 및 이물질은 바람에 의해 1차선별되고 비중이 큰 돌 등은 석발판에 의해 2차 석발됩니다.

Remove stone, dust and impurities from material paddy

원료벼에 포함된 돌, 먼지 등 원료와 비중이 다른 이물질 제거



● DWSB-20



● DPC-30



● DWSH-20S

● DWSH-20D



MODEL 제품명	SIZE 규격(L×W×H)	CAPACITY 처리용량(ton/hr)	POWER·motor 소요동력(kW)·모터	POWER·fan 소요동력(HP)·휀	REMARKS 비 고
DVS-8000	2115×2345×2010	6~7	0.75×2	30	–
DVS-6000	2115×1715×2010	4~5	0.75×2	15	–
DTC-5000	1700×1700×1610	3	0.75	10	–

DAEWON GSI INTERNATIONAL NETWORK



DAEWON GSI
DAEWON GLOBAL SYSTEM INTEGRATION

HEAD OFFICE · FACTORY · The 1st R&D INSTITUTE
#990-2 Geumsan-Ri, Waegwan-Eup, Chilgok-Gun, Gyeongbuk, R.O.Korea TEL : **82-54-973-2221** FAX : 82-54-973-2230